

UNITED STATES PATENT AND TRADEMARK OFFICE

UNITED STATES DEPARTMENT OF COMMERCE United States Patent and Trademark Office Address: COMMISSIONER FOR PATENTS P.O. Box 1450 Alexandria, Virginia 22313-1450 www.uspto.gov

APPLICATION NO.	F	ILING DATE	FIRST NAMED INVENTOR	ATTORNEY DOCKET NO.	CONFIRMATION NO
10/091,855	03/06/2002		Patrick T. Prendergast	802_003	8597
25191	7590	12/11/2006		EXAMINER	
BURR & B			KANTAMNENI, SHOBHA		
PO BOX 7068 SYRACUSE, NY 13261-7		3261-7068		· ART UNIT	PAPER NUMBER
				1617	•

DATE MAILED: 12/11/2006

Please find below and/or attached an Office communication concerning this application or proceeding.

	Applica	ation No.	Applicant(s)	
	10/091	,855	PRENDERGAST, PATRICK T.	
Office Action Summary	Examir	ner	Art Unit	·
	Shobha	a Kantamneni	1617	
The MAILING DATE of this commu Period for Reply	ınication appears on	the cover sheet with the	correspondence ac	ddress
A SHORTENED STATUTORY PERIOD WHICHEVER IS LONGER, FROM THE - Extensions of time may be available under the provisio after SIX (6) MONTHS from the mailing date of this cor - If NO period for reply is specified above, the maximum - Failure to reply within the set or extended period for reply not period for reply received by the Office later than three month earned patent term adjustment. See 37 CFR 1.704(b).	MAILING DATE OF ns of 37 CFR 1.136(a). In no nmunication. statutory period will apply anoly will, by statute, cause the safter the mailing date of this	THIS COMMUNICATIO event, however, may a reply be ti d will expire SIX (6) MONTHS from application to become ABANDONI	N. mely filed n the mailing date of this c ED (35 U.S.C. § 133).	
Status				•
 Responsive to communication(s) f This action is FINAL. Since this application is in condition closed in accordance with the practice. 	2b)⊠ This action is n for allowance exce	s non-final. ept for formal matters, pr		e merits is
Disposition of Claims				
4) ⊠ Claim(s) <u>1-31 and 33-140</u> is/are per 4a) Of the above claim(s) <u>1-17 and</u> 5) ⊠ Claim(s) <u>NONE</u> is/are allowed. 6) ⊠ Claim(s) <u>18-31, 33-44</u> is/are reject 7) ☐ Claim(s) is/are objected to. 8) ☐ Claim(s) are subject to rest	<u>l 45-140</u> is/are withdi ed.	rawn from consideration		
Application Papers				
9) The specification is objected to by 10) The drawing(s) filed on is/ar Applicant may not request that any ob Replacement drawing sheet(s) including 11) The oath or declaration is objected	e: a) accepted or jection to the drawing(sing the correction is req	s) be held in abeyance. Se uired if the drawing(s) is ob	ee 37 CFR 1.85(a). ojected to. See [.] 37 C	
Priority under 35 U.S.C. § 119				
12) Acknowledgment is made of a clair a) All b) Some * c) None of: 1. Certified copies of the priorit 2. Certified copies of the priorit 3. Copies of the certified copie application from the Internat * See the attached detailed Office act	y documents have b y documents have b s of the priority docu ional Bureau (PCT F	een received. een received in Applicat ments have been receiv Rule 17.2(a)).	tion No red in this National	l Stage
Attachment(s) 1) D Notice of References Cited (PTO-892)		4) Interview Summan		
 Notice of Draftsperson's Patent Drawing Review Information Disclosure Statement(s) (PTO/SB/08 Paper No(s)/Mail Date 		Paper No(s)/Mail D 5) Notice of Informal 6 Other:	oate	

DETAILED ACTION

Continued Examination Under 37 CFR 1.114

A request for continued examination under 37 CFR 1.114, including the fee set forth in 37 CFR 1.17(e), was filed in this application after final rejection. Since this application is eligible for continued examination under 37 CFR 1.114, and the fee set forth in 37 CFR 1.17(e) has been timely paid, the finality of the previous Office action has been withdrawn pursuant to 37 CFR 1.114. Applicant's submission filed on 09/22/06 has been entered.

The Amendment received on 09/22/2006, wherein claims 18-19, 26, and 30-31 have been amended, claim 32 has been cancelled, and new claim 140 has been added.

Applicant's amendment is sufficient to overcome the rejection of claims 18-44 under 35 U.S.C. 112, second paragraph, as being indefinite.

Applicant's amendment by limiting to specific cancer such as pancreatic cancer or lung cancer overcomes the rejection of claims 18-44 under 35 U.S.C. 112, first paragraph, because the specification, while being enabling for the treatment of lung cancer and pancreatic cancer, does not reasonably provide enablement for the treatment of neoplasia in general. The rejection is herein withdrawn.

Note: Applicant's elect the species Circiliol which is 5,3',4'-trihydroxy-6,7 dimethoxy flavone as the compound, and gemcitabine as chemotherapeutic agent, and also the election of pancreatic cancer, lung cancer as the type of neoplasia in the reply filed on November 19, 2004.

Claim 140 is withdrawn from consideration as it corresponds to non-elected species.

Claims 18-31, and 33-44 are examined herein as they read on the elected species.

Claim Rejections - 35 USC § 112

The following is a quotation of the second paragraph of 35 U.S.C. 112:

The specification shall conclude with one or more claims particularly pointing out and distinctly claiming the subject matter which the applicant regards as his invention.

Claim 31 is rejected under 35 U.S.C. 112, second paragraph, as being indefinite for failing to particularly point out and distinctly claim the subject matter which applicant regards as the invention.

Claim 31 recites the limitation "said neoplasia" in the claim. There is insufficient antecedent basis for this limitation in the claim.

Claim Rejections - 35 USC § 103

The following is a quotation of 35 U.S.C. 103(a) which forms the basis for all obviousness rejections set forth in this Office action:

(a) A patent may not be obtained though the invention is not identically disclosed or described as set forth in section 102 of this title, if the differences between the subject matter sought to be patented and the prior art are such that the subject matter as a whole would have been obvious at the time the invention was made to a person having ordinary skill in the art to which said subject matter pertains. Patentability shall not be negatived by the manner in which the invention was made.

Claims 18-27, 30-33, 37-44 are rejected under 35 U.S.C. 103(a) as being unpatentable over Francis et al. (WO 00/03706) in view of Chinery et al. (WO /

9901118), and further in view of Tsukada et al. (Biochemical and Biophysical Research Communications, Vol. 140, No.3, 1986, pages 832-836).

Francis et al. (WO 00/03706) teach a therapeutic composition comprising a therapeutically efficient amount of a flavonoid type compound of formula (I) in combination with cytotoxic agents in the treatment of tumors. In formula (I) of '706, when R₁, R₅ are H; R₂, R₃ are C1-alkoxy group; R₄ is OH, and R₆ is phenyl group substituted with 2 OH groups results in circiliol of the instant invention. See page 3, lines 23-30. The chemotherapeutic agents such as gemcitabine, nucleotide analogues such as 5-fluoro Uracil are disclosed. See page 6, line 12. It is also taught that the flavonoids can be combined with the major cytotoxic agents used in polychemotherapies for solid tumors. Examples of methods of use of the compounds flavonoids of formula (I) with chemotherapeutic agent gemcitabine for the treatment of pancreatic adenocarcinoma, bronchial cancer is also taught. See page 39, line 20-page 40, line 5. In the chemotherapeutic treatment of cancers with cytotoxic agents, flavonoids can be administered at the start of chemotherapeutic treatments, either in a single dosage intake or over several days at the start of these treatments depending on the chemotherapeutic protocol. The flavonoid compounds of formula (I) are administered at doses 5 to 50 mg/kg/day. The flavonoid compound and cytotoxic agent can be administered orally, intravenously etc. See page 4, lines 1-10, lines 20-25; lines 30-33, page 6; pages 16, I7. Francis et al. teach that the flavonoids of formula(I) which encompass circiliol can be combined with gemcitabine in a treatment regimen for the treatment of pancreatic cancer. See page 39, lines 10-15; page 81, claims 2, 5, and 10.

Application/Control Number: 10/091,855

Art Unit: 1617

The treatment of Neoplasia in the form of solid tumors such as non-small-cell lung cancers, small cell lung cancer by employing flavonoids of formula(I), and a chemotherapeutic agent is also taught. See page 14, lines 9-12; page 17.

Francis et al. does not explicitly teach the employment of particular flavone, circiliol with chemotherapeutic agent, gemcitabine for the treatment of Pancreatic cancer.

Francis et al. does not explicitly teach the employment of particular flavone, circiliol with chemotherapeutic agent, gemcitabine for the treatment of lung cancer.

Francis et al. do not teach a method of treating pancreatic cancer wherein the compound and/or chemotherapeutic agent are contained in a liposome, and said liposome vehicle can be targeted to tumors.

Chinery et al. (WO/9901118) disclose a method to enhance the cytotoxic activity of an antineoplastic drug comprising administering an effective amount of a antineoplastic drug to a host in combination with an effective amount of an antioxidant such as lipoxygenase inhibitor, flavonoids, and phenolic compounds. See page 6, lines 4 to 15; page 43, lines 7-10. The antioxidants increase the effectiveness and decrease the toxicity of antineoplastic agents. The antineoplastic agents include Fluorouracil, Gencitabine, Tamoxifine etc. See page 45, lines 15-20. Chinery et al. further teaches that conditions such as bone cancer, breast cancer, gastric cancer, pancreatic cancer can be treated using said combination. See page 47, line 5-page 48, line2.

Chinery et al. also teaches that pharmaceutical compositions wherein the active compounds can be in a controlled release formulation, including implants and

microencapsulated delivery systems. Biodegradable, biocompatible polymers such as ethylene vinyl acetate, polyanhydrides, polyglycolic acid, collagen, polylactic acid can be used. See page 51, lines 18-21. Liposomal suspensions containing the actives, including liposomes targeted to infected cells with monoclonal antibodies to viral antigens are also disclosed.

Tsukada et al. (Biochemical and Biophysical Research Communications, Vol. 140, No.3, 1986, pages 832-836) teach that flavonoid compounds like Cirsiliol is a potent specific inhibitor for arachidonate 5-lipoxygense and suppressed the growth of leukemia cells in human. See abstract; page 834, Fig. 1.

It would have been obvious to a person of ordinary skill in the art at the time of invention to employ the particular flavonoid Circiliol and combine with gemcitabine as taught by Francis for the treatment of pancreatic cancer. One would be motivated to combine Circiliol with Gemcitabine because (i) Chinery teaches that antineoplastic drugs such as gemcitabine can be combined with lipoxygenase inhibitor in the treatment of pancreatic cancer (ii) Circiliol is a potent inhibitor of arachidonate 5-lipoxygenase inhibitor according to Tsukada. One would be motivated to use a combination of Circiliol and Gemcitabine for the treatment of pancreatic cancer with the expectation of increasing the effectiveness and decreasing the toxicity of chemotherapeutic agent.

It would have been obvious to a person of ordinary skill in the art at the time of invention to use Cirsiliol as flavone and combine with gemcitabine as taught by Francis for the treatment of lung cancer. One would be motivated to combine Cirsiliol a potent inhibitor of arachidonate 5-lipoxygenase as taught by Tsukada with Gemcitabine

Application/Control Number: 10/091,855

Art Unit: 1617

because (i) Chinery teaches that antineoplastic drugs can be combined with lipoxygenase inhibitor in the treatment of cancer (ii) Cirsiliol is a lioxygenase inhibitor. One would be motivated to use a combination of Cirsiliol and Gemcitabine with the expectation of treating lung cancer, with increased effectiveness and decreased toxicity of chemotherapeutic agent.

It would have been obvious to a person of ordinary skill in the art at the time of invention to use liposomal suspensions containing Circiliol or chemotherapeutic agent because Chinery teaches liposomal suspension can be used as pharmaceutical carriers for Gemcitabine and flavonoids. The motivation to use liposomal vehicle containing the chemotherapeutic agent or circiliol is with the expectation of delivering the actives more effectively to the infected cells.

Claim 28 is rejected under 35 U.S.C. 103(a), as being unpatentable over Francis et al. in view of Chinery et al. (WO / 9901118), and in view of Tsukada et al. (Biochemical and Biophysical Research Communications, Vol. 140, No.3, 1986, pages 832-836), as applied to Claims 18-27, 30-33, 37-44 above, and further in view of Wang et al. (US 6,608,026), rejection of record.

Francis et al., Chinery, and Tsukada are applied as discussed above.

The references do not teach the administration of radiation treatment.

Wang et al. teach a combination therapy in the treatment of pancreatic cancer by administering a therapeutically effective amount of peptoid, and the antineoplastic agent such as gemcitabine. See column 12, lines 62-66. Wang further teaches that the

peptoid, chemotherapeutic agent and/or radiation may be administered concurrently, sequentially, in any order, depending on the nature of the disease, the condition of the patient, and the actual choice of chemotherapeutic agent and/or radiation. See column 11, line 61-column 12, line 8.

It would have been obvious to a person of ordinary skill in the art at the time of invention to administer radiation treatment to a patient undergoing chemotherapy because Wang teaches that chemotherapeutic agent and radiation may be administered concurrently, sequentially in any order. One would be motivated to administer radiation treatment with the expectation of obtaining a beneficial effect of treating cancer more effectively.

Claims 29, and 34-36 are rejected under 35 U.S.C. 103(a), as being unpatentable over Francis et al. in view of Chinery et al. (WO / 9901118), and in view of Tsukada et al. (Biochemical and Biophysical Research Communications, Vol. 140, No.3, 1986, pages 832-836), as applied to Claims 18-27, 30-33, 37-44 above, and further in view of Borisy (US 6,569,853), rejection of record.

Francis et al., Chinery, and Tsukada are applied as discussed above.

The references do not specifically teach that the compounds and/or chemotherapeutic agents are contained in a pharmaceutical formulation which has an enteric coating made of polymers such as poly(lactic-glycolic acid) polyester, cellulose acetate phthalate etc. The references do not teach performing surgery on the patient.

Borisy et al. teach a method of treating a patient having cancer comprising administering chloropromazine and pentamidine. See column 23, lines 30-35. The treatment can be performed alone or in conjunction with another therapy such as surgery, radiation, chemotherapy. See column 13, lines 55-65. Borisy further teaches that the formulations for oral use include tablets, which may be coated to release the active drug in a predetermined pattern or it may be adapted not to release the active drug substance until after passage of the stomach (enteric coating). The polymers such as methacrylic acid copolymer, cellulose acetate phthalate, hydroxypropyl methylcelluolose phthalate etc. are disclosed for enteric coating. See column 15, lines 33-50.

It would have been obvious to a person of ordinary skill in the art at the time of invention to perform surgery on a patient undergoing chemotherapy because Borisy teaches that chemotherapeutic agent and surgery may be administered in conjunction. One would be motivated to perform surgery with the expectation of obtaining a beneficial effect of treating cancer more effectively.

It would have been obvious to a person of ordinary skill in the art at the time of invention to contain the chemotherapeutic agent in pharmaceutical formulation which has an enteric coating using polymers such as cellulose acetate because Borisy teaches that the active agents for the treatment of cancer can be contained in a formulation which has enteric coating. One would be motivated to use enteric coating for containing the active agent with the expectation of delaying the disintegration and

absorption of the active agent in the gastrointestinal tract and thereby providing a sustained release of the active.

Response to Arguments

Applicant argues that "Francis '706 gives no suggestion of using circiliol with a chemotherapeutic agent for the treatment of pancreatic or lung cancer". This argument has been considered, but not found persuasive because contrary to applicant's assertion that '706 gives no suggestion of using circiliol with a chemotherapeutic agent for the treatment of pancreatic or lung cancer, Francis et al. teach that the flavonoids of formula(I) which encompass circiliol are combined with gemcitabine in a treatment regimen for the treatment of pancreatic cancer. See page 39, lines 10-15; page 81, claims 2, 5, and 10. Thus even though WO '706 et al. does not exemplify Circiliol as preferred compound, it has been well-established that consideration of a reference is not limited to the preferred embodiments or working examples, but extends to the entire disclosure for what it fairly teaches, when viewed in light of the admitted knowledge in the art, to person of ordinary skill in the art. In re Boe, 355 F.2d 961, 148 USPQ 507, 510 (CCPA 1966); In re Lamberti, 545 F.2d 747, 750, 192 USPQ 279, 280 (CCPA 1976); In re Fracalossi, 681 F.2d 792, 794, 215 USPQ, 570 (CCPA 1982); In re Kaslow, 707 F.2d 1366, 1374, 217 USPQ 1089, 1095 (Fed. Cir. 1983).

Applicant argues that "Chinery's definition of antioxidants includes but is not limited to the following classes of compounds: (H) inhibitors of lipoxygenases and cyclooxygenases." These remarks have been considered. It is respectfully pointed out that Chinery et al. (WO/9901118) disclose a method to enhance the cytotoxic activity of

an antineoplastic drug comprising administering an effective amount of antineoplastic drug to a host in combination with an effective amount of an antioxidant which broadly includes flavonoids, phenolic compounds, and inhibitors of lipoxygenases. Chinery also teaches a method to enhance the cytotoxic activity of an antineoplastic drug comprising administering an effective amount of a antineoplastic drug to a host in combination with an effective amount of a lipoxygenase inhibitor. One of ordinary skill in the art would have been motivated to employ a combination of Circiliol, a known lipoxygenase inhibitor which is known to suppress the growth of leukemia cells in human, and Gemcitabine for the treatment of pancreatic cancer with reasonable expectation of success of increasing the effectiveness and decreasing the toxicity of chemotherapeutic agent.

Applicant argues that "Any assumption that all flavonoids which include all the chemical groups (flavones, flavanones, isoflavones, coumarins and chalcones) that inhibit any of the many different lipoxygenase enzymes all act as antioxidants is incorrect, as published papers document that polymethoxylated flavonoids like circiliol are virtually inactive as scavengers of the diphenylpicrylhydrazyl radical, a common test of antioxidant activity (see, e.g., Inhibitors of 15-lipoxygenese from the orange Peel. Journal of Agric. Food Chem. 2000 Nov, 48 (11): 5576-80.)". This argument has been considered, but not found persuasive because circiliol is not a polymethoxylated flavonoid. Circiliol is a dimethoxylated compound which possess three free hydroxyl groups. Thus, contrary to applicant's assertion circiliol will possess radical scavenging activity. See for example in the published paper cited by the applicant Journal of Agric.

Application/Control Number: 10/091,855 Page 12

Art Unit: 1617

Food Chem 2000, Nov, 48(11), page 5578, it is disclosed that hesperidin which possess 2 hydroxy groups attached to the benzene ring is active as radical scavenger. Further,

Note that the cited article by the applicant does not provide any data for circiliol.

Conclusion

No claims are allowed.

Any inquiry concerning this communication or earlier communications from the examiner should be directed to Shobha Kantamneni whose telephone number is 571-272-2930. The examiner can normally be reached on Monday-Tuesday, Thursday-Friday, 7.30am-4.00pm.

If attempts to reach the examiner by telephone are unsuccessful, the examiner's supervisor, Sreeni Padmanabhan, Ph.D can be reached on 571-272-0629. The fax phone number for the organization where this application or proceeding is assigned is 571-273-8300.

Information regarding the status of an application may be obtained from the Patent Application Information Retrieval (PAIR) system. Status information for published applications may be obtained from either Private PAIR or Public PAIR. Status information for unpublished applications is available through Private PAIR only. For more information about the PAIR system, see http://pair-direct.uspto.gov. Should you have questions on access to the Private PAIR system, contact the Electronic Business Center (EBC) at 866-217-9197 (toll-free).

Shobha Kantamneni, Ph.D.

Patent Examiner

Art Unit 1617

Shobha Kantamneni, Ph.D Patent Examiner

SREENI PADMANABHAN SUPERVISORY PATENT EXAMINER